

L Number	Hits	Search Text	DB	Time stamp
53	7	("3810053"   "3878490"   "4673906"   "4687966"   "4749975"   "5138290"   "5404204").PN.	USPAT	2003/03/14 10:01
54	0	6100779.URPN.	USPAT	2003/03/14 10:02
55	0	6100779.URPN.	USPAT	2003/03/14 10:02
245	3	3310763.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/14 10:18
253	5	3310763.URPN.	USPAT	2003/03/14 10:21
-	0	313/\$ and impression same deflection adj coil and current with wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:49
-	0	313/\$.ccls. and impression same deflection adj coil and current with wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:50
-	0	313/\$ and impression same deflection adj coil and current same wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:50
-	0	313/\$ and (impression same deflection adj coil and current same wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:51
-	0	313/\$ and (impression and deflection adj coil and current same wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:52
-	0	(deflection adj coil and wire).ti. and 313/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:53
-	0	(deflection adj coil and wire).ti. and "313"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:53
-	161	deflection adj coil and wire.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:54
-	0	(deflection adj coil and wire and (indentation or impression)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:54
-	2	deflection adj coil and wire.ti. and "313"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 13:55
-	57	deflection adj coil and wire.ab. and "313"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 14:12

	779	("313/440").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 14:14
	751	("335/210").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 15:50
	630	("335/213").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 16:44
	202	("313/442").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/19 17:36
	8	((("313/440,442").ccls. or ("335/210,213").ccls.) and (deflection adj coil or yoke) and dent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:23
	8	((("313/440,442").ccls. or ("335/210,213").ccls.) and (deflection adj coil or yoke) same dent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:27
	2	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (bake or baked) with wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:39
	2	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (bake or baked) near20 wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:39
	5	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (bake or baked) same wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:45
	48	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and deformation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:46
	4	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and deformation with wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:50
	3	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and deformation with wire and saddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:53
	9	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and deformed with wire and saddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:54
	1	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and bake and saddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 15:58

	1	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and after adj baking and saddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:01
	1	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and bake	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:03
	6	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and (begin or beginning) with wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:10
	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and (begin or beginning) with wire and detached	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:17
	14	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and (perfect or undent or undented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:27
	2	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube same (yoke or coil) same (perfect or undent or undented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:23
	44	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and (precision or unblemished)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:28
	35	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) same (precision or unblemished)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:30
	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) same (perfection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:31
	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) same (unblemished)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:31
	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) same (unblemish)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:32
	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) same flashover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:32
	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and flashover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:33
	120	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and (short or shorting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2002/02/20 16:33

-	85	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) same (short or shorting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	60	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) with (short or shorting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	38	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) with (short or shorting) and saddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) with electrical adj (short or shorting) and saddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	2	("6066913").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	798	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) current with wire with flange	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and current with wire with flange	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	19	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	7	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange with (damage or damaged or damaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange with (damage or damaged or damaging) with (begin or beginning or initial or end or ending)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange with (damage or damaged or damaging) same (begin or beginning or initial or end or ending)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	7	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange with (damage or damaged or damaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	((("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange with (damage or damaged or damaging) with (detach or detached)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and wire with flange with (connection or connecting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 17:28
-	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and current adj wire with flange	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 17:28
-	0	(("313/440,442").ccls. or ("335/210,213").ccls.) and cathode adj ray adj tube and (yoke or coil) and blemish	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/20 17:28
-	309	(("313/440,442").ccls. or ("335/210,213").ccls.) and (coil or yoke) with wire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/21 09:35
-	4	(("313/440,442").ccls. or ("335/210,213").ccls.) and (coil or yoke) with wire with (begin or beginning or initial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/21 09:36
-	1309830	(("313/440,442").ccls. or ("335/210,213").ccls.) and (coil or yoke) with wire (begin or beginning or initial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/21 09:36
-	4	(("313/440,442").ccls. or ("335/210,213").ccls.) and (coil or yoke) with wire with (begin or beginning or initial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/21 09:40
-	27	(("313/440,442").ccls. or ("335/210,213").ccls.) and (coil or yoke) with wire with (connection or connector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/02/21 09:40
-	0	tops-martinus.in. or berghs-nicolaas.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 16:40
-	2	tops-martinus-j.in. or berghs-nicolaas-j-1.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/08/14 13:26
-	8	("3707628"   "3710289"   "3750718"   "4152685"   "4337219"   "4464643"   "4692731"   "4814731").PN.	USPAT	2003/03/13 15:41
-	16	4692731.URPN.	USPAT	2003/03/13 15:44
-	0	5446432.URPN.	USPAT	2003/03/13 15:45
-	4	4078301.URPN.	USPAT	2003/03/13 15:46
-	2	("3139566"   "3754322").PN.	USPAT	2003/03/13 15:47
-	8	3851215.URPN.	USPAT	2003/03/13 15:47
-	7	5039922.URPN.	USPAT	2003/03/13 15:58
-	4	("2228821"   "2866125"   "3169207"   "3456149").PN.	USPAT	2003/03/13 16:02
-	1292	(("313/440,442").ccls. or ("335/210,213").ccls.)	USPAT	2003/03/13 16:59
-	6	("5121028"   "5489824"   "5801496"   "6046713"   "6218773"   "6225764").PN.	USPAT	2003/03/13 16:10
-	0	6476569.URPN.	USPAT	2003/03/13 16:11
-	1	6100779.bn.	USPAT	2003/03/13 16:22

-	1	tops-martinus-j.in. or berghs-nicolaas-j-1.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT	2003/03/13 16:40
-	18	((("313/440,442").ccls. or ("335/210,213").ccls.)) and rear adj2 flange	USPAT	2003/03/13 17:00
-	18	((("313/440,442").ccls. or ("335/210,213").ccls.)) and rear adj2 flange	USPAT	2003/03/13 18:26
-	1	4882521.pn.	USPAT	2003/03/13 18:27